



Standard bigHead list

M1 Series – Male threaded stud

Mild Steel BZP

Head: 38mm x 15mm rectangle

Product code	Thread Size x Length
M1/T38-M4x12	M4 x 12mm
M1/T38-M4x16	M4 x 16mm
M1/T38-M4x20	M4 x 20mm
M1/T38-M4x25	M4 x 25mm
M1/T38-M5x16	M5 x 16mm
M1/T38-M5x20	M5 x 20mm
M1/T38-M5x25	M5 x 25mm
M1/T38-M6x12	M6 x 12mm
M1/T38-M6x16	M6 x 16mm
M1/T38-M6x20	M6 x 20mm
M1/T38-M6x25	M6 x 25mm
M1/T38-M6x30	M6 x 30mm
M1/T38-M6x40	M6 x 40mm
M1/T38-M6x50	M6 x 50mm
M1/T38-M6x60	M6 x 60mm
M1/T38-M6x75	M6 x 75mm
M1/T38-M6x100	M6 x 100mm
M1/T38-M8x20	M8 x 20mm
M1/T38-M8x30	M8 x 30mm
M1/T38-M8x40	M8 x 40mm
M1/T38-M8x50	M8 x 50mm
M1/T38-M10x25	M10 x 25mm
M1/T38-M10x30	M10 x 30mm
M1/T38-M10x50	M10 x 50mm



Mild Steel BZP

Head: 40mm x 10mm rectangle

Product code	Thread Size x Length
M1/T40-M4X40	M4 x 40mm
M1/T40-M5X20	M5 x 20mm
M1/T40-M5X25	M5 x 25mm
M1/T40-M6X30	M6 x 30mm
M1/T40-M8X25	M8 x 25mm



Mild Steel BZP

Head: 15mm square

Product code	Thread Size x Length
M1/B15-M4x12	M4 x 12mm
M1/B15-M4x16	M4 x 16mm

M1/B15-M4x30	M4 x 30mm
M1/B15-M5x12	M5 x 12mm
M1/B15-M5x16	M5 x 16mm
M1/B15-M5x20	M5 x 20mm
M1/B15-M5x25	M5 x 25mm
M1/B15-M5x30	M5 x 30mm
M1/B15-M6x12	M6 x 12mm
M1/B15-M6x16	M6 x 16mm
M1/B15-M6x20	M6 x 20mm
M1/B15-M6x25	M6 x 25mm
M1/B15-M6x60	M6 x 60mm



Mild Steel BZP

Head: 19mm diameter

Product code	Thread Size x Length
M1/B19-M4X12	M4 x 12mm
M1/B19-M5X12	M5 x 12mm
M1/B19-M5X25	M5 x 25mm
M1/B19-M8X12	M8 x 12mm
M1/B19-M8X15	M8 x 15mm



Mild Steel BZP

Head: 50mm diameter

Product code	Thread Size x Length
M1/B50-M6x12	M6 x 12mm
M1/B50-M8x20	M8 x 20mm



Mild Steel BZP

Head: 20mm diameter

Product code	Thread Size x Length
M1/B20-M5x16	M5 x 16mm
M1/B20-M6x20	M6 x 20mm
M1/B20-M8x25	M8 x 25mm



Mild Steel BZP

Head: 38mm diameter

Product code	Thread Size x Length
M1/B38-M4x25	M4 x 25mm
M1/B38-M5x12	M5 x 12mm
M1/B38-M5x20	M5 x 20mm
M1/B38-M5x40	M5 x 40mm
M1/B38-M6x16	M6 x 16mm
M1/B38-M6x20	M6 x 20mm
M1/B38-M6x25	M6 x 25mm
M1/B38-M6x30	M6 x 30mm
M1/B38-M6x35	M6 x 35mm
M1/B38-M6x40	M6 x 40mm
M1/B38-M6x60	M6 x 60mm
M1/B38-M6x75	M6 x 75mm
M1/B38-M6x100	M6 x 100mm
M1/B38-M8x15	M8 x 15mm
M1/B38-M8x20	M8 x 20mm
M1/B38-M8x25	M8 x 25mm
M1/B38-M8x30	M8 x 30mm
M1/B38-M8x40	M8 x 40mm
M1/B38-M8x50	M8 x 50mm
M1/B38-M8x60	M8 x 60mm
M1/B38-M10x20	M10 x 20mm
M1/B38-M10x25	M10 x 25mm
M1/B38-M10x40	M10 x 40mm



Mild Steel BZP

Head: 30mm diameter

Product code	Thread Size x Length
M1/B30-M8x20	M8 x 20mm
M1/B30-M10x40	M10 x 40mm



Mild Steel BZP

Head: 23mm diameter

Product code	Thread Size x Length
M1/B23-M4x16	M4 x 16mm
M1/B23-M4x20	M4 x 20mm
M1/B23-M4x25	M4 x 25mm
M1/B23-M5x12	M5 x 12mm
M1/B23-M5x16	M5 x 16mm
M1/B23-M5x20	M5 x 20mm
M1/B23-M5x25	M5 x 25mm
M1/B23-M5x30	M5 x 30mm
M1/B23-M6x12	M6 x 12mm
M1/B23-M6x16	M6 x 16mm
M1/B23-M6x20	M6 x 20mm
M1/B23-M6x25	M6 x 25mm
M1/B23-M6x30	M6 x 30mm
M1/B23-M6x40	M6 x 40mm
M1/B23-M6x50	M6 x 50mm
M1/B23-M8x15	M8 x 15mm
M1/B23-M8x30	M8 x 30mm
M1/B23-M8x35	M8 x 35mm
M1/B23-M8x60	M8 x 60mm
M1/B23-M10x40	M10 x 40mm



316 Stainless Steel

Head: 58mm square

Product code	Thread Size x Length
SM1/B58-M6x100	M6 x 100mm
SM1/B58-M10x100	M10 x 100mm



316 Stainless Steel

Head: 38mm x 15mm rectangle

Product code	Thread Size x Length
SM1/T38-M4x12	M4 x 12mm
SM1/T38-M5x12	M5 x 12mm
SM1/T38-M5x16	M5 x 16mm
SM1/T38-M5x25	M5 x 25mm
SM1/T38-M6x16	M6 x 16mm
SM1/T38-M6x25	M6 x 25mm
SM1/T38-M6x30	M6 x 30mm
SM1/T38-M6x40	M6 x 40mm
SM1/T38-M6x50	M6 x 50mm
SM1/T38-M8x30	M8 x 30mm
SM1/T38-M8x40	M8 x 40mm
SM1/T38-M8x50	M8 x 50mm
SM1/T38-M10x50	M10 x 50mm



316 Stainless Steel

Head: 15mm square

Product code	Thread Size x Length
SM1/B15-M4x8	M4 x 8mm
SM1/B15-M4x12	M4 x 12mm
SM1/B15-M4x16	M4 x 16mm
SM1/B15-M4x25	M4 x 25mm
SM1/B15-M5x12	M5 x 12mm
SM1/B15-M5x16	M5 x 16mm
SM1/B15-M5x25	M5 x 25mm
SM1/B15-M6x16	M6 x 16mm



SM1/B15-M6x25	M6 x 25mm
---------------	-----------

316 Stainless Steel

Head: 50mm diameter

Product code	Thread Size x Length
SM1/B50-M8x50	M8 x 50mm



316 Stainless Steel

Head: 20mm diameter

Product code	Thread Size x Length
SM1/B20-M6x40	M6 x 40mm
SM1/B20-M8x25	M8 x 25mm



316 Stainless Steel

Head: 38mm diameter

Product code	Thread Size x Length
SM1/B38-M6x30	M6 x 30mm
SM1/B38-M6x40	M6 x 40mm
SM1/B38-M8x30	M8 x 30mm
SM1/B38-M8x50	M8 x 50mm
SM1/B38-M8x75	M8 x 75mm
SM1/B38-M10x16	M10 x 16mm
SM1/B38-M10x40	M10 x 40mm



316 Stainless Steel

Head: 32mm square

Product code	Thread Size x Length
SM1/B32-M5x12	M5 x 12mm
SM1/B32-M5x20	M5 x 20mm
SM1/B32-M5x30	M5 x 30mm
SM1/B32-M5x40	M5 x 40mm
SM1/B32-M6x12	M6 x 12mm
SM1/B32-M6x20	M6 x 20mm
SM1/B32-M6x25	M6 x 25mm
SM1/B32-M6x30	M6 x 30mm
SM1/B32-M6x35	M6 x 35mm
SM1/B32-M6x40	M6 x 40mm
SM1/B32-M6x50	M6 x 50mm
SM1/B32-M6x75	M6 x 75mm
SM1/B32-M6x100	M6 x 100mm
SM1/B32-M8x20	M8 x 20mm
SM1/B32-M8x25	M8 x 25mm
SM1/B32-M8x30	M8 x 30mm
SM1/B32-M8x40	M8 x 40mm
SM1/B32-M8x50	M8 x 50mm
SM1/B32-M8x75	M8 x 75mm
SM1/B32-M8x100	M8 x 100mm
SM1/B32-M10x30	M10 x 30mm
SM1/B32-M10x40	M10 x 40mm
SM1/B32-M10x50	M10 x 50mm
SM1/B32-M10x75	M10 x 75mm
SM1/B32-M10x100	M10 x 100mm



316 Stainless Steel

Head: 30mm diameter

Product code	Thread Size x Length
SM1/B30-M8x25	M8 x 25mm
SM1/B30-M10x50	M10 x 50mm



316 Stainless Steel

Head: 23mm diameter

Product code	Thread Size x Length
SM1/B23-M4x20	M4 x 20mm
SM1/B23-M5x12	M5 x 12mm
SM1/B23-M5x16	M5 x 16mm
SM1/B23-M6x12	M6 x 12mm
SM1/B23-M6x16	M6 x 16mm
SM1/B23-M6x25	M6 x 25mm
SM1/B23-M8x25	M8 x 25mm
SM1/B23-M8x30	M8 x 30mm
SM1/B23-M10x30	M10 x 30mm



M4 Series – 4.75mm diameter plain pin

Mild Steel BZP

Head: 38mm x 15mm rectangle

Product code	Stud Diameter x Length
M4/T38-4.75x25	4.75mm x 25mm
M4/T38-4.75x50	4.75mm x 50mm



Mild Steel BZP

Head: 15mm square

Product code	Stud Diameter x Length
M4/B15-4.75x12	4.75mm x 12mm
M4/B15-4.75x18	4.75mm x 18mm



Mild Steel BZP

Head: 38mm diameter

Product code	Stud Diameter x Length
M4/B38-4.75x25	4.75mm x 25mm
M4/B38-4.75x40	4.75mm x 40mm



Mild Steel BZP

Head: 23mm diameter

Product code	Stud Diameter x Length
M4/B23-4.75x12	4.75mm x 12mm
M4/B23-4.75x20	4.75mm x 20mm
M4/B23-4.75x25	4.75mm x 25mm



316 Stainless Steel

Head: 15mm square

Product code	Stud Diameter x Length
SM4/B15-4.75x12	4.75mm x 12mm



316 Stainless Steel

Head: 38mm diameter

Product code	Stud Diameter x Length
SM4/B38-4.75x50	4.75mm x 50mm



M5 Series – 3mm diameter nail

Mild Steel BZP

Head: 38mm diameter

Product code	Nail Diameter x Length
--------------	------------------------

M5/B38-3x25	3mm x 25mm
-------------	------------



Mild Steel BZP

Head: 32mm square

Product code	Nail Diameter x Length
M5/B32-3x30	3mm x 30mm



Mild Steel BZP

Head: 23mm diameter

Product code	Nail Diameter x Length
M5/B23-3x25	3mm x 25mm
M5/B23-3x75	3mm x 75mm



316 Stainless Steel

Head: 38mm diameter

Product code	Nail Diameter x Length
SM5/B38-3x25	3mm x 25mm
SM5/B38-3x50	3mm x 50mm
SM5/B38-3x100	3mm x 100mm



316 Stainless Steel

Head: 32mm square

Product code	Nail Diameter x Length
SM5/B32-3x30	3mm x 30mm
SM5/B32-3x60	3mm x 60mm
SM5/B32-3x75	3mm x 75mm
SM5/B32-3x100	3mm x 100mm



316 Stainless Steel

Head: 30mm diameter

Product code	Nail Diameter x Length
SM5/B30-3x100	3mm x 100mm



M6 Series – 90 degree hook

Mild Steel BZP

Head: 32mm square

Product code	Wire Diameter x Length
M6/B32-25x25	4.75mm / 25mm x 25mm



M7 Series – 45 degree 12.25mm loop

Mild Steel BZP

Head: 38mm diameter

Product code	Wire Diameter x Loop Width
M7/B38-45° Loop	4.75mm / 12.25mm



Mild Steel BZP

Head: 32mm square

Product code	Wire Diameter x Loop Width
M7/B32-45° Loop	4.75mm / 12.25mm



316 Stainless Steel

Head: 38mm diameter

Product code	Wire Diameter x Loop Width
SM7/B38-45° Loop	4.75mm/12.25mm



316 Stainless Steel

Head: 32mm square

Product code	Wire Diameter x Loop Width
SM7/B32-45° Loop	4.75mm/12.25mm



M7 Series – 45 degree 19mm loop

Mild Steel BZP

Head: 38mm diameter

Product code	Wire Diameter x Loop Width
M7/B38-45°-19 Loop	4.75mm / 19mm



Mild Steel BZP

Head: 32mm square

Product code	Wire Diameter x Loop Width
M7/B32-45°-19 Loop	4.75mm / 19mm



316 Stainless Steel

Head: 38mm diameter

Product code	Wire Diameter x Loop Width
SM7/B38-45°19 Loop	4.75mm/19mm



316 Stainless Steel

Head: 32mm square

Product code	Wire Diameter x Loop Width
SM7/B32-45°19 Loop	4.75mm/19mm



M8 Series – 90 degree loop

Mild Steel BZP

Head: 38mm diameter

Product code	Wire Diameter x Loop Width
M8/B38-90° Loop	4.75mm / 12.25mm



Mild Steel BZP

Head: 32mm square

Product code	Wire Diameter x Loop Width
M8/B32-90° Loop	4.75mm / 12.25mm



316 Stainless Steel

Head: 38mm diameter

Product code	Wire Diameter x Loop Width
SM8/B38-90° Loop	4.75mm/12.25mm



316 Stainless Steel

Head: 32mm square

Product code	Wire Diameter x Loop Width
SM8/B32-90° Loop	4.75mm/12.25mm



Cable tyrap

Mild Steel BZP

Head: 38mm diameter

Product code	Length x Inside Width
B38 Cable Tyrap-12	16mm x 12mm



316 Stainless Steel

Head: 38mm diameter

Product code	Length x Inside Width
SB38-CableTyrap-12	16mm x 12mm



316 Stainless Steel

Head: 32mm square

Product code	Length x Inside Width
SB32-CableTyrap-12	16mm x 12mm



F1 Series – Female threaded nut

Mild Steel BZP

Head: 58mm square

Product code	Thread Size	Blind/Sighted
F1/S58-M8HEX	M8	
F1/S58-M12HEX	M12	



Mild Steel BZP

Head: 38mm x 15mm rectangle

Product code	Thread Size	Blind/Sighted
F1/T38-M6HEX	M6	
F1/ST38-M4HEX	M4	
F1/ST38-M5HEX	M5	
F1/ST38-M6HEX	M6	
F1/ST38-M8HEX	M8	
F1/ST38-M10HEX	M10	



Mild Steel BZP



Head: 19mm diameter

Product code	Thread Size	Blind/Sighted
F1/B19-M4HEX	M4	



Mild Steel BZP








Head: 20mm diameter

Product code	Thread Size	Blind/Sighted
F1/S20-M4HEX	M4	
F1/S20-M6HEX	M6	



Mild Steel BZP






Head: 38mm diameter

Product code	Thread Size	Blind/Sighted
F1/B38-M4HEX	M4	
F1/B38-M8HEX	M8	
F1/B38-M10HEX	M10	
F1/S38-M6HEX	M6	
F1/S38-M8HEX	M8	
F1/S38-M10HEX	M10	
F1/S38-M12HEX	M12	



Mild Steel BZP

Head: 23mm diameter

Product code	Thread Size	Blind/Sighted
F1/B23-M4HEX	M4	
F1/B23-M10HEX	M10	
F1/S23-M4HEX	M4	
F1/S23-M6HEX	M6	
F1/S23-M8HEX	M8	



316 Stainless Steel







Head: 58mm square

Product code	Thread Size	Blind/Sighted
SF1/S58-M12HEX	M12	



316 Stainless Steel




Head: 38mm x 15mm rectangle

Product code	Thread Size	Blind/Sighted
SF1/ST38-M3HEX	M3	
SF1/ST38-M4HEX	M4	
SF1/ST38-M5HEX	M5	
SF1/ST38-M6HEX	M6	
SF1/ST38-M8HEX	M8	
SF1/ST38-M10HEX	M10	



316 Stainless Steel

Head: 38mm diameter


Product code	Thread Size	Blind/Sighted
SF1/S38-M6HEX	M6	
SF1/S38-M8HEX	M8	
SF1/S38-M12HEX	M12	









316 Stainless Steel

Head: 32mm square

Product code	Thread Size	Blind/Sighted
SF1/B32-M8HEX	M8	






SF1/B32-M12HEX	M12	
SF1/S32-M5HEX	M5	
SF1/S32-M6HEX	M6	
SF1/S32-M8HEX	M8	
SF1/S32-M10HEX	M10	
SF1/S32-M12HEX	M12	



316 Stainless Steel

Head: 23mm diameter


Product code	Thread Size	Blind/Sighted
SF1/S23-M4HEX	M4	
SF1/S23-M5HEX	M5	
SF1/S23-M6HEX	M6	



F2 Series – Female Threaded collar

Mild Steel BZP



Head: 38mm x 15mm rectangle

Product code	Thread Size x Length	Blind/Sighted
F2/T38-M6x5	M6 x 5mm	
F2/T38-M6x12	M6 x 12mm	
F2/T38-M6x16	M6 x 16mm	
F2/T38-M6x22	M6 x 22mm	
F2/T38-M8x10	M8 x 10mm	
F2/T38-M8x22	M8 x 22mm	
F2/T38-M10X14	M10 x 14mm	
F2/T38-M10X19	M10 x 19mm	
F2/ST38-M4x5	M4 x 5mm	
F2/ST38-M5x5	M5 x 5mm	
F2/ST38-M5x10	M5 x 10mm	
F2/ST38-M6x5	M6 x 5mm	
F2/ST38-M6x10	M6 x 10mm	
F2/ST38-M6x14	M6 x 14mm	
F2/ST38-M6x16	M6 x 16mm	
F2/ST38-M8x14	M8 x 14mm	



Mild Steel BZP





Head: 19mm diameter

Product code	Thread Size x Length	Blind/Sighted
F2/B19-M6X10	M6 x 10mm	
F2/B19-M6X22	M6 x 22mm	
F2/B19-M8X10	M8 x 10mm	
F2/S19-M5X10	M5 x 10mm	
F2/S19-M6X10	M6 x 10mm	



Mild Steel BZP








Head: 20mm diameter

Product code	Thread Size x Length	Blind/Sighted
F2/B20-M6x10	M6 x 10mm	
F2/S20-M4X5	M4 x 5mm	
F2/S20-M6x10	M6 x 10mm	
F2/S20-M6x22	M6 x 22mm	






Mild Steel BZP

Head: 38mm diameter

Product code	Thread Size x Length	Blind/Sighted
F2/B38-M4x10	M4 x 10mm	
F2/B38-M6x10	M6 x 10mm	
F2/B38-M6x16	M6 x 16mm	
F2/B38-M8x10	M8 x 10mm	
F2/B38-M8x14	M8 x 14mm	
F2/B38-M8x16	M8 x 16mm	
F2/B38-M8x22	M8 x 22mm	



F2/B38-M10x10	M10 x 10mm	
F2/B38-M10X14	M10 x 14mm	
F2/B38-M10x22	M10 x 22mm	
F2/S38-M6x14	M6 x 14mm	
F2/S38-M8x10	M8 x 10mm	
F2/S38-M8x14	M8 x 14mm	
F2/S38-M10x10	M10 x 10mm	
F2/S38-M10x22	M10 x 22mm	

Mild Steel BZP

Head: 23mm diameter

Product code	Thread Size x Length	Blind/Sighted
F2/B23-M6x10	M6 x 10mm	
F2/B23-M6X14	M6 x 14mm	
F2/B23-M6x16	M6 x 16mm	
F2/B23-M8x10	M8 x 10mm	
F2/B23-M8x14	M8 x 14mm	
F2/B23-M10X14	M10 x 14mm	
F2/S23-M6x10	M6 x 10mm	
F2/S23-M6x16	M6 x 16mm	
F2/S23-M8x10	M8 x 10mm	
F2/S23-M10X14	M10 x 14mm	



316 Stainless Steel

Head: 58mm square

Product code	Thread Size x Length	Blind/Sighted
SF2/B58-M6x15	M6 x 15mm	



316 Stainless Steel

Head: 38mm x 15mm rectangle

Product code	Thread Size x Length	Blind/Sighted
SF2/T38-M6x10	M6 x 10mm	
SF2/T38-M6x15	M6 x 15mm	
SF2/T38-M6x20	M6 x 20mm	
SF2/T38-M6x22	M6 x 22mm	
SF2/T38-M8x10	M8 x 10mm	
SF2/T38-M8x20	M8 x 20mm	
SF2/ST38-M4x5	M4 x 5mm	
SF2/ST38-M4x10	M4 x 10mm	
SF2/ST38-M5x5	M5 x 5mm	
SF2/ST38-M5x10	M5 x 10mm	
SF2/ST38-M6x5	M6 x 5mm	
SF2/ST38-M6x10	M6 x 10mm	
SF2/ST38-M6x15	M6 x 15mm	
SF2/ST38-M8X6	M8 x 6mm	
SF2/ST38-M8x10	M8 x 10mm	
SF2/ST38-M8X15	M8 x 15mm	
SF2/ST38-M10x10	M10 x 10mm	



316 Stainless Steel




Head: 20mm diameter




Product code	Thread Size x Length	Blind/Sighted
SF2/B20-M5x10	M5 x 10mm	



316 Stainless Steel

Head: 38mm diameter


















Product code	Thread Size x Length	Blind/Sighted
SF2/B38-M4x10	M4 x 10mm	
SF2/B38-M8x10	M8 x 10mm	
SF2/B38-M8X15	M8 x 15mm	

SF2/S38-M6x10	M6 x 10mm	
SF2/S38-M6x22	M6 x 22mm	
SF2/S38-M8x20	M8 x 20mm	



316 Stainless Steel

Head: 32mm square

Product code	Thread Size x Length	Blind/Sighted
SF2/B32-M4x10	M4 x 10mm	
SF2/B32-M5x10	M5 x 10mm	
SF2/B32-M6x10	M6 x 10mm	
SF2/B32-M6x15	M6 x 15mm	
SF2/B32-M6x20	M6 x 20mm	
SF2/B32-M8x10	M8 x 10mm	
SF2/B32-M8x15	M8 x 15mm	
SF2/B32-M8x20	M8 x 20mm	
SF2/S32-M4x5	M4 x 5mm	
SF2/S32-M6x10	M6 x 10mm	
SF2/S32-M6x15	M6 x 15mm	
SF2/S32-M6x20	M6 x 20mm	
SF2/S32-M8x6	M8 x 6mm	
SF2/S32-M8x10	M8 x 10mm	
SF2/S32-M8x15	M8 x 15mm	
SF2/S32-M8x20	M8 x 20mm	
SF2/S32-M10x20	M10 x 20mm	



316 Stainless Steel

Head: 23mm diameter

Product code	Thread Size x Length	Blind/Sighted
SF2/B23-M4x10	M4 x 10mm	
SF2/B23-M6x15	M6 x 15mm	
SF2/B23-M8x15	M8 x 15mm	
SF2/B23-M8x20	M8 x 20mm	
SF2/B23-M10x20	M10 x 20mm	
SF2/S23-M4x5	M4 x 5mm	
SF2/S23-M5x5	M5 x 5mm	
SF2/S23-M5x10	M5 x 10mm	
SF2/S23-M6x5	M6 x 5mm	
SF2/S23-M6x10	M6 x 10mm	
SF2/S23-M6x20	M6 x 20mm	
SF2/S23-M10x20	M10 x 20mm	

